

<b>SPECIFICATIONS – MAX MINI DOWN DRAFT TABLE-1.5 SC</b>	
<b>AIR VOLUME</b>	600 – 1200 CFM (SEE CURVE)
<b>MOTOR</b>	1.5 HP TEFC, 3450 RPM
<b>VOLTAGE</b>	115/230/1/60 (3 PHASE AVAILABLE)
<b>ELECTRICAL</b>	115 V WITH 10' ELECTRICAL CORD
<b>BLOWER</b>	DIRECT DRIVE, NON-OVERLOADING, BACKWARD-INCLINED ALUMINUM WHEEL
<b>GRATE AREA WORKING SURFACE</b>	29" x 29"
<b>DIMENSIONS (L x W x H)</b>	42" x 32" x 37"
<b>WEIGHT</b>	300 lbs.
<b>CABINET CONSTRUCTION</b>	14 GA. WELDED STEEL
<b>FINISH</b>	INDUSTRIAL GRADE BAKED ON POWDER COAT PAINT
<b>CASTORS</b>	HEAVY-DUTY 4" DIA. INDUSTRIAL GRADE, SWIVEL AND LOCKING
<b>FILTRATION &amp; EFFICIENCY</b>	2x 15" 80/20 FIRE RETARDANT 125 SQ. FT. PER CARTRIDGE (250 SQ. FT. TOTAL), 99% @ 1 micron
<b>FILTER CLEANING</b>	REVERSE PULSE
<b>COMPRESSED AIR REQUIREMENT:</b>	CLEAN, DRY AIR, 80-90 PSI
<b>FILTER ACCESS</b>	HINGED DOOR
<b>AFTERFILTERS</b>	POLYSORB FILTER
<b>CONTROLS</b>	START/STOP MANUAL STARTER
<b>NOISE LEVEL</b>	78 dBA AT 5'

**AVAILABLE OPTIONS:**

FIBERGLASS GRATE  
 SIDE & BACK WALLS  
 MINIHelic DIFFERENTIAL PRESSURE GAGE  
 HEPA AFTERFILTERS  
 CARBON GRANULE AFTERFILTERS  
 WASHABLE POLYESTER SPUN BOND CARTRIDGE

\* TEXAS ELECTRONICS CDA. INC. RESERVES THE RIGHT TO MAKE CHANGES IN DESIGN AND SPECIFICATIONS WITHOUT PRIOR NOTICE, TO BETTER IMPROVE OUR PRODUCTS.

**MAX AIR SYSTEMS**

BY TEXAS ELECTRONICS (CANADA) INC.

2125 MADISON AVE., MONTREAL, QUEBEC H4B 2T2

TEL.:(514) 842-4431, (800) 387-9696 FAX: (514) 842-8641

[WWW.MAXAIRSYSTEMS.COM](http://WWW.MAXAIRSYSTEMS.COM) • E-MAIL: [INFO@TEXASELEC.COM](mailto:INFO@TEXASELEC.COM)

(MINIDDT1.5SCSPEC.DOC)